

Agro-pastoralists' determinants of adaptation to climate change

Keneilwe Ruth Kgosikoma and Phatsimo Cotildah Lekota

*Department of Agricultural Economics, Education and Extension,
Faculty of Agriculture, Botswana University of Agriculture and Natural Resources,
Gaborone, Botswana, and*

Olaotswe Ernest Kgosikoma

*Department of Agricultural Research,
Ministry of Agricultural Development and Food Security, Gaborone, Botswana*

Abstract

Purpose – The purpose of this study is to analyze smallholder farmers' perceptions on climate change and its stressors, their adaptation strategies and factors that influence their adaptation to climate change.

Design/methodology/approach – The study was conducted in Kweneng district, located in the south eastern part of Botswana. Multi-stage sampling was used to obtain a representative sample from three sub-districts in the district. A structured questionnaire was used to collect data by using face-to-face interviews.

Findings – Majority of farmers perceived an increase in mean annual temperature and the number of hot days and a decrease in mean annual rainfall and the number of rainfall days over the past 10 years as indicators of climate change. The prominent adaptation strategies included changes in planting dates for crops and supplementary feeding for livestock. The logistic regression results show that gender, age, household size, poverty, shortage of land, mixed farming and knowledge about climate change significantly influence adaptation.

Practical implications – The findings indicate that climate change policy should target agricultural diversification at the household level and dissemination of information on climate change and adaptation strategies.

Originality/value – Policy recommendations can be suggested: government climate change interventions should target agricultural diversification at the household level, and this study provides insights on what influences adaptation strategies and what should be targeted to build resilience in the agricultural sector.

Keywords Perceptions, Climate change, Resilience, Adaptation, Agricultural diversification, Agro-pastoralists

Paper type Research paper

1. Introduction

The impacts of climate change are prominent worldwide (Oppenheimer *et al.*, 2014), especially in drylands, where its adverse effects are exacerbated by high rainfall variability (Kgosikoma and Batisane, 2014) coupled with high temperatures. Thus, climate change threatens agricultural productivity through increased temperatures, changes in precipitation patterns and increased occurrences of extreme weather conditions (Nelson, 2009), new crop and



livestock pests, limited supply of irrigation water and the increased severity of soil erosion (Adams *et al.*, 1998). In addition, climate change may create new and suitable conditions for weeds, insects and pathogens to proliferate, resulting in further decline in agricultural productivity. The competition between weeds and crops for space, water and nutrients from the soil has already been attributed to the highest crop losses globally, about 34 per cent (Oerke, 2006), and may be exacerbated by climate change. Similarly, the productivity of livestock sector is declining because of heat stress, poor nutrition (Muntifering *et al.*, 2006) and shortage of drinking water, which can be attributed to climate change.

Agriculture in Africa supports livelihood of 80 per cent of the population (FAO, 2016), representing over 800 million inhabitants in 2010 (FAO, 2012). Hence, it is a dominant economic activity, particularly to rural households in drylands such as Kgalagadi-Namib region, as it is the main source of food, income and employment. Given the high vulnerability of rural communities in drylands to climate change, it is essential to build resilience to climate change in the agricultural sector through the adoption of climate smart agricultural practices. Sustainable adaptation practices ensure that farmers achieve their food, income and livelihood security objectives in the face of changing climatic and socioeconomic conditions and volatile short-term changes in local and large-scale markets (Phuong, 2011; Kandlinkar and Risbey, 2000), thus reducing vulnerability to climate change (Nhemachena and Hassan, 2007) and poverty (Halsnaes and Traerup, 2009).

The local farming communities have always adapted to perceived environmental risks, and evidence suggests that farmers worldwide acknowledge changes in climatic conditions and its threat to their livelihood. Most farmers in African countries have observed long-term increased temperatures, declining and pattern change in precipitation and increase in drought frequencies changes in rain patterns as a results of climate change (Hassan and Nhemachena, 2008; Gbetibouo, 2009). Farmers' vulnerability and perception to climate change is influenced by factors such as soil fertility, lack of finance, access to water for irrigation and access to climate information (Maddison, 2006). In addition, farmers with high education and farming experience (Gbetibouo, 2009; Hassan and Nhemachena, 2008) and access to extension services and mass-media are likely to have high awareness of climate risks (Sampei and Aoyagi-Usui, 2009) and better adaptive capacity. Farm size, tenure status, access to market and credit availability are other major determinants of adoption in Africa (Maddison, 2006).

Farmers' awareness and perceptions of changes in climatic conditions shape their response to risks associated with climate change. In Botswana, knowledge on farming communities' perception to climate change and determinants of adaptation practices adoption is limited, except in the Okavango region. As a result, this study was conducted to:

- determine farmers' perceptions on climate change and its stressors in Botswana;
- identify farmers' adaptation strategies to climate change; and
- determine factors that influence farmers' adaptation to climate change.

Understanding how Botswana farmers have coped over the years will help policy-makers implement sustainable adaptation strategies that will help reduce climate change impacts in future.

2. Methodology

2.1 Study area

The study was conducted in Kweneng district, located in the south eastern part of Botswana, in 2014. The target population for the study was the Kweneng district

subsistence or smallholder farmers who are highly vulnerable to drought, a key stressor of climate change. Kweneng district is semi-arid with annual rainfall ranging between 300 and 500 mm and mean summer temperature ranging between 24°C and 27°C (Kgosikoma *et al.*, 2012). Kweneng district is generally dominated by non-calcareous sandy soils, and the vegetation type is classified as central bush savanna. Agriculture is the main economic activity in this district, which is essential for local food security and communities' livelihoods.

2.2 Data collection

A structured questionnaire was used to collect primary data from farmers by using face-to-face interviews to make sure farmers understand and are able to respond to the questionnaire, thus maximizing the response rate. This approach is widely used to collect data in ecology and natural resource management (White *et al.*, 2005), including ecological knowledge of resource users. Face-to-face interviews are commonly used when collecting primary data from smallholder farmers because a high response rate is obtained compared to other methods of data collection (Hox and De Leeuw, 1994). In addition, other methods such as telephone or mail survey are not ideal as poor smallholder farmers would not necessarily have access to these.

The questionnaire captured farmers' demographic characteristics, perceptions on climate change including changes in rainfall, temperature and extreme weather events in the past 10 years, and important indicators of climate change. It also captured how climate change has affected crop and livestock production in the past 10 years and the strategies used by farmers to cope with climate change. According to Reyes-García *et al.*, 2015, four main types of local indicators can be derived from local knowledge to explain climate change. These are local observations of climate change (including changes in temperature, precipitation and wind) and its impacts on the physical, biological and socio-economic systems.

Empirical evidence suggests that local people with long history of interaction with their environment develop intricate and complex systems of first-hand knowledge on weather and climate variability, as well as climate change (Orlove *et al.*, 2000; Stigter *et al.*, 2005; Fernández-Llamazares *et al.*, 2015; Marin, 2010). According to Huntington *et al.*, 2004; Rosenzweig and Neofotis, 2013; Fernández-Llamazares *et al.*, 2016, there is an overlap between local knowledge and scientific information, highlighting the critical role of local perceptions in climate change deliberations. Furthermore, farmers are asked about determinants of adaptation strategies.

The study used a multi-stage sampling procedure to obtain a representative sample of the population from three sub-districts of the Kweneng district. The first stage involved listing of villages in the district and then purposively selecting villages dominated mainly by agricultural activity. Within the selected villages, simple random sampling was then used to select a sample of 100 farmers interviewed for this study. The sample size was determined by following the minimum sample size calculation as suggested by Peduzzi *et al.* (1996). The minimum number of observations included is $N = 10 k/p$, where p is the smallest of the proportions of negative or positive observations in the population and k is the number of covariates or independent variables. For this study, $k = 14$ and $p = 0.2$ (proportions of negative observations), and the minimum number of observations (sample size) is 25. However, according to Long (1997), if the resulting number is less than 100, you should increase it to 100 for the logistic regression model.

2.3 Theoretical framework

In the present study, the dependent variable is binary, that is, either the farmer used an adaptation strategy or did not use. A relevant statistical model when the dependent variable is binary is the logistic regression model. Following Uchezumba *et al.* (2009), the choice of binary logistic regression techniques was based on two reasons: first, the technique can be used to analyze the relationship between a categorical response variable and a set of both continuous and categorical variables and second, the technique is best suited for modeling non-linear distribution, which is not appropriate with ordinary least squares. Following Gujarati (2003), a logistic regression model is specified as:

$$P_i = E(Y_i = 1/X_i) = \frac{1}{1 + e^{-\left(\alpha_i + \sum_{i=1}^K \beta_i X_i\right)}} \quad (1)$$

where P_i is the probability of household i adopting at least one adaptation strategy, Y_i is the level of adaptation by the same household i , X_i is a set of explanatory variables influencing the participation of household i in the cattle market and the β_i s are the parameters to be estimated.

The term $\left(\alpha_i + \sum_{i=1}^K \beta_i X_i\right)$ can be denoted as Z_i , so that equation (1) becomes:

$$P_i = \frac{1}{1 + e^{-Z_i}} \quad (2)$$

Given that the probability of adopting at least one adaptation strategy (P_i) is as given in equation (2), then the probability of not adopting any strategy ($1 - P_i$) can be expressed as specified below:

$$\frac{1}{(1 - P_i)} = 1 + e^{Z_i} \quad (3)$$

The odds ratio $P_i/1 - P_i$ is, therefore, is given as:

$$\frac{P_i}{1 - P_i} = \frac{1 + e^{Z_i}}{1 + e^{-Z_i}} \quad (4)$$

Taking the logarithm of equation (4), the logit model takes the form:

$$L_i = \ln \left[\frac{P_i}{1 - P_i} \right] = P_0 + \sum_{i=1}^k \gamma_i X_i + \varepsilon_i \quad (5)$$

where L_i is the logit and ε_i is the error term, and the other variables are defined as before. The marginal effects for the binary variables is calculated by predicting the outcome probability for each observation given that adaptation = 1 and then again for each observation substituting adaptation = 0. The sample average of the difference between those outcome probabilities is the average marginal effect or just marginal effect. The marginal effect for the categorical variables on the probability of household i adapting to climate change is determined by taking the partial derivative of the probability of the

outcome with respect to explanatory variable for each observation in the data set. The sample average of that is then reported as the average marginal effect.

The binominal logit model was used to determine the factors that influence farmers to adapt to climate change. The diagnostic tests of the model showed high correlation of 0.80 between some covariates in the initial model, resulting in some variables being dropped. The model was tested for common regression model problems, that is, model specification, model fit and multicollinearity, and there were no indications of any of these problems. The variance inflation factor (VIF) often used to identify multicollinearity indicated that the largest VIF was only 2.86. A VIF of 10 indicates presence of multicollinearity, which requires attention. The probability model was correctly specified and fit the data well according to the Hosmer and Lemeshow's goodness-of-fit test and the STATA "linktest" diagnostic tests, which produced statistically insignificant results (probability $> \chi^2 = 0.9707$; $p > |z| = 0.329$), indicating that the model fits the data well and has no specification error. A model with Huber–White robust standard errors was adopted to counter any heteroscedasticity problems.

2.4 Empirical framework

To evaluate the determinants of adaptation to climate change, the following general logistic regression model was used:

$$\text{Logit}(P_i) = \ln(P_i/1 - P_i) = \beta_0 + \beta_1 X_i + \dots + \beta_n X_n \quad (6)$$

where $\ln(P_i/1 - P_i)$ is the logit for adaptation to climate change choices; P_i represents adaptation; $1 - P_i$ is not adapting and X_i s represents covariates as previously stated. The empirical model, with the explanatory variables selected based on theory, is presented as:

$$\ln(P_i/1 - P_i) = \beta_0 + \beta_1 FD_i + \beta_2 FE_i + \beta_3 FP_i + \varepsilon_i \quad (7)$$

The explanatory variables hypothesized to influence farmers' ability to adapt can be broadly categorized into demographic characteristics (FD), endowment and (FE) and perceptions on adaptation constraints (FP) and are described in [Table I](#) and subsequently discussed.

3. Results

3.1 Farmers' perceptions on climate change and its stressors

The farming community in Kweneng had observed several indicators and impacts associated with climate change ([Table II](#)). The majority of the respondents in the study indicated that the temperature and the number of hot days have increased over the past 10 years by 97 and 91 per cent, respectively. Almost all farmers in Kweneng have also observed decline in rainfall, and 95 per cent of them have noticed a decrease in rainfall days. Most agropastoralists in Kweneng were concerned with reoccurrence of drought, particularly that their observed trends indicated increased drought frequency. Based on most farmers' perceptions, flood occurrence has not changed much in the past 10 years. The observed changes in climatic conditions reported by farmers were associated with reduced crop and livestock productivity.

Farmers attributed decreased crop and livestock productivity to several stressors associated with climate change. Most farmers identified drought and low rainfall as the major risks to agricultural productivity ([Figure 1](#)). In addition, high temperature was

Variable	Full variable name	Description	Hypothesized sign
GENDER	Gender of a household head	Binary, 1 if men and 0 otherwise	+
AGE	Age of a household head	Categorical	-
HHSize	Household size	Continuous	+
YrOFFARMIN	Years of farming	Continuous	+
EDUC	Years of education for a household head	Continuous	+
AGRICINC	Income from agriculture	Continuous	+
NON_AGRIC_INC	Income from other sources	Binary, 1 if there are other sources of income, 0 otherwise	+
MIXEDFARM	Farmer practices mixed farming	Binary, 1 if mixed farming is practiced, 0 otherwise	+
KNOWCLIMATE	Farmer knows about climate change	Binary, 1 if farmer knows about climate change, 0 otherwise	+
LACK_KNWLGD	Lack of knowledge on adaptation strategies an important constraint to adaptation	Binary, 1 if important, 0 otherwise	-
LACK_CREDIT	Lack of access to credit an important constraint to adaptation	Binary, 1 if important, 0 otherwise	-
POVERTY	Poverty an important constraint to adaptation	Binary, 1 if important, 0 otherwise	-
LACK_WATER	Lack of access to water an important constraint to adaptation	Binary, 1 if important, 0 otherwise	-
LACK_LAND	Lack or shortage of agricultural land is an important constraint to adaptation	Binary, 1 if important, 0 otherwise	-

Table I.
Description of explanatory variables hypothesized to influence adaptation

Perceived climatic changes and its impacts on agriculture during the past decade	Percentage			
	Increase	No change	Decrease	Unsure
Mean temperature	97	0	1	2
Number of hot days	91	5	1	2
Mean rainfall	2	1	97	0
Number of rainfall days	3	1	95	1
Occurrence of drought	82	11	1	5
Occurrence of floods	1	74	14	11
Crop productivity	14	3	76	0
Livestock productivity	18	1	73	3

Table II.
Farmers' perceptions of climate change and its impacts on production as a percentage of the total respondents ($N = 91$)

reported to cause poor growth of crops and livestock because of heat stress. A moderate proportion of farmers mentioned pests and diseases as climate change stressors that result in reduced agricultural productivity. Poor vegetation was mentioned by only a negligible proportion of Kweneng farmers as a climate change stressor that leads to decline in crop and livestock productivity.

3.2 *Adaptation strategies used by farmers*

From a sample of 91 farmers, the majority of the farmers (82 per cent) had adapted to climate change. The adaptation strategy used by the majority of the crop farmers in Kweneng district was to change of planting dates to be aligned with the current rainfall patterns (months). Other crop-related adaptation strategies included change in crop varieties planted, switching from crop to livestock production, implementation of soil conservation techniques, use of irrigation and use of shades and shelters and changes in the use of chemical fertilizers, pesticides or insecticides. Livestock production adaptation strategies farmers perceived as appropriate in the region were vaccinating farm animals, supplementary feeding, fencing and shading (housing) (Table III).

3.3 *Determinants of adaptation to climate change*

From the results of the logistic regression model, the determinants of adaptation to climate change are gender, age, household size, mixed farming, knowledge about climate change, poverty and shortage of land. The results indicated that female-headed households are 16 per cent more likely to adapt to climate change than male-headed households. Moreover, the results revealed that increased households' size and age of head negatively influenced farmer's adaptive capacity. Mixed farming and knowledge on climate change increased farmer's adaptive capacity by 18.3 and 26 per cent, respectively. Other significant determinants of adaptation to climate change identified by farmers in Kweneng were




Figure 1. Climate change-related stressors that reduce agricultural productivity as perceived by farmers

Adaptive strategy	Frequency	(%)
<i>Crop sector</i>		
Change of planting dates	64	85
Change crop variety	12	23
Switching from crops to livestock	1	1
Implementation of soil conservation techniques	20	27
Use of irrigation	3	4
Change use of chemical fertilizers, pesticides or insecticides	15	20
<i>Livestock sector</i>		
Supplementary feeding	5	5
Vaccinations	1	1
Use of shades and shelters	3	4

Table III. Adaptation strategies used by farmers

poverty and shortage of land, which individually reduced adaptive capacity by about 20 per cent (Table IV).

4. Discussion

4.1 Farmers' perceptions on climate change and its stressors

Majority of agro-pastoralists in Kweneng associated observed increased temperature with climate change. This view is augmented by increased number of hot days experienced in that area and consistent with projections that temperatures in semi-arid of southern Africa will increase by between 3.4°C and 4.2°C, which is more than the 1981-2000 average under the A2 scenario by end of the twenty-first century (Niang *et al.*, 2014). In addition, farmers suggested that annual rainfall and number of rainy days have decreased because of climate change. Subsequently, farmers mentioned that drought frequency has increased, and their observations are supported by other studies in the region (Makhado *et al.*, 2014). High proportions of farming community in Kweneng associated observed climate changes with decreased agricultural productivity, including both crop and livestock sectors. This could be explained by the fact that agricultural production systems in Botswana and southern Africa are largely dependent on rainfall (Makhado *et al.*, 2014) and thus vulnerable to rainfall variability, as suggested in other studies (Kolawole *et al.*, 2016). Similarly, it has been demonstrated that rainfall variability drives both crop yields (Kolawole *et al.*, 2016) and livestock productivity (Kgosikoma and Batisane, 2014) elsewhere in Botswana. The livelihood of smallholder livestock farmers in communal lands of Botswana is therefore more vulnerable to climate change, partly because of compounding effect of land degradation and partly because of insecure land tenure (Dougill *et al.*, 2010).

As suggested by farmers in Kweneng, drought and low rainfall are the primary climate-related stressors to agricultural sector. Similarly, it was reported that drought and low rainfall have high negative impact on crop failure, especially maize and sorghum in the Okavango region of Botswana (Kolawole *et al.*, 2016). Frequent drought also causes decline in livestock body condition and eventually increased mortality, as observed in other drylands

Variable	Coefficient (robust standard error)	Marginal effect
GENDER	-1.846 (1.088)*	-0.162*
AGE	-1.180 (0.654)*	-0.104*
HHSize	-0.251 (0.105)**	-0.022**
YrOFFARMIN	0.016 (0.024)	0.001
EDUC	0.064 (0.154)	0.006
AGRICINC	0.0004 (0.0003)	0.00004
NON_AGRIC_INC	1.318 (1.084)	0.116
MIXEDFARM	2.082 (1.015)**	0.183**
KNOWCLIMATE	2.957 (1.421)**	0.260
LACK_KNWLGD	1.359 (1.091)	0.119
CREDIT	1.716 (1.608)	0.151
POVERTY	-2.304 (1.022)**	-0.203**
WATER	1.838 (1.344)	0.162
LAND	-2.264 (0.931)**	-0.199***
N	91	
Wald χ^2 (15)	25.19	
Probability > χ^2	0.05	

Notes: ***, ** and * indicate significance at 1%, 5% and 10% probability levels, respectively

Table IV.
Determinants of
smallholder farmers'
adaptation to climate
change

(Opiyo *et al.*, 2015). In addition, high temperatures are also associated with low output from agriculture sector because of high water demand and heat stress. In the livestock sector, exotic higher-producing breeds that are suited to farming in temperate climate are more vulnerable to heat stress, and their productivity is likely to decline more than indigenous breeds (Archer, 2011). Simulations demonstrated that increased temperature by 2°C and 3°C leads to reduced maize yields by 21 and 36 per cent and sorghum yields by 16 and 26 per cent, respectively, in Botswana (Chipanshi *et al.*, 2004), which is consistent with farmers' perception.

4.2 Adaptation strategies used by farmers

The food security and livelihood of agro-pastoral communities are threatened by climate change, and innovative interventions are necessary to improve agricultural resilience. Kweneng farmers reported using a variety of adaptation strategies to minimize the risks of observed climate change in their production, just like other farmers in Botswana (Kgosikoma and Batisane, 2014; Mogotsi *et al.*, 2011) and other drylands (Opiyo *et al.*, 2015). They indicated that planting dates had been adjusted in response to late rain onset and further enhanced by change in crop variety. Drought-tolerant and early-maturing crop varieties are highly recommended for drylands and have been applied by other farmers in southern Africa (Wiid and Ziervogel, 2012). Investment and research innovation are needed to develop new crop varieties, including hybrids that are highly tolerant to temperature, moisture stress and other relevant climatic conditions (Smit and Skinner, 2002). Some farmers also suggested the use of soil conservation technique to protect the soil from degradation and maintain its productivity as an adaptive strategy.

Overall, smallholder livestock adaptive capacity among Kweneng farmers was low as only few practices were suggested, and therefore, more needs to be done to build adaptive capacity in this sector. Supplementation was suggested by few farmers, and that could be because government subsidizes livestock feed during drought periods. In addition, indigenous browser plants have high potential as feed (Aganga *et al.*, 2000) to be used to supplement livestock.

4.3 Determinants of adaptation to climate change

The logistic regression model results highlighted several factors as determinants of adaptation to climate, including gender of the household head. Contrary to expectation, female-headed households are more likely to adapt to climate change than male-headed households, and this could partly be attributed to willingness of women to change their livelihood strategy in an effort to support their families. In addition, age of household head negatively affected the adaptation to climate change. A plausible explanation is that older farmers may be more conservative and more risk-averse compared to younger farmers, resulting in a lower likelihood of adopting new technologies (Gbetibouo, 2009). The results also indicated that large family size also increased farmers' vulnerability to climate change as a unit increase in the household size resulted in a 2.2 per cent reduction in the probability of adapting to climate change. That is because a large family has high consumption demand, and this put enormous pressure on little resources available during drought periods, and some families may be forced to divert part of the labor force to off-farm activities in an attempt to earn income.

The results showed that knowledge about climate change increases the probability of adaptation by 26 per cent. Similar findings were reported by Atinkut and Mebrat (2016), who found a positive and significant relationship between access to information on climate change and adaptation. As a result, improved extension services that provide technical support on agriculture and climate change services will significantly reduce vulnerability to climate risk (Harvey *et al.*, 2014). Farmers need to be educated on the vulnerability of specific

species/crops and the appropriate species/crop mix, including drought-resistant breeds/crops so that they can adopt appropriate adaptation practices to minimize the adverse impact of climate change (Kabubo-Mariara, 2008).

Diversification of herd composition or crops is an essential component of adaptation to climate risk in the agricultural sector (Smit and Skinner, 2002) because of improved access to market and basic food (Opiyo *et al.*, 2015). The results of this study also confirmed that agropastoralists with diversified agricultural practices (mixed farming) are more (18.3 per cent) resilient to climate shocks than those who practice either crop or livestock production only. Unfortunately, smallholder farmers normally have limited resources to enhance diversification and as a result are more vulnerable to climate risks (Harvey *et al.*, 2014). Poverty was therefore identified by farmers as a strong determinant of adaptation to climate change. Limited access to resources such as land also contributed significantly toward low adaptive capacity of smallholder farmers.

5. Conclusions

This study has shown that most farmers in Kweneng district are aware of the increasing temperatures and decrease in rainfall and have attempted to adapt different strategies to mitigate the effects of the changing climate. The predominant adaptation strategies used by crop farmers were changes in planting dates in line with shifts in rainfall season onset, changes in crop varieties planted, changes in the use of chemical fertilizer, pesticides and insecticides, implementation of soil conservation techniques and irrigation. The adaptation strategies pointed out as appropriate for use by livestock farmers were supplementary feeding, vaccination and provision of shading or livestock housing. However, smallholder livestock adaptive capacity among Kweneng farmers was low as only few practices were suggested, and therefore, there is a need to build adaptive capacity in this sector.

The binary logit model results indicated that gender, age, household size, poverty and lack of access to credit significantly and negatively affect adaptation to climate change, whereas diversified agricultural practices and knowledge of climate change significantly and positively influence adaptation. Given the significance of knowledge about climate change on adaptation, government should implement programs that will help increase access to information on climate change and the appropriate adaptive strategies. Policy options to facilitate the availability of credit; investment on yield-increasing technologies; opportunities for off-farm employment; research on the use of new crop varieties and livestock breeds that are more suited to drier conditions; and investment in irrigation should be implemented to help increase production and decrease the vulnerability of farmers toward climate change.

References

- Adams, R.M., McCarl, B.A., Segerson, K., Rosenzweig, C., Bryant, K.J., Dixon, B.L., Conner, R., Evenson, R.E. and Ojima, D. (1998), "The economic effects of climate change on US agriculture", in Mendelsohn, R. and Neumann, J. (Eds), Chapter 2, *The Economics of Climate Change*, Cambridge University Press, Cambridge, MA.
- Aganga, A.A., Omphile, U.J., Chabo, R.G. and Kgosimore, M. (2000), "Available feed resources to goats under communal management in Gaborone-Agriculture region in Botswana", in Aganga, A.A., Kgosimore, M., Omphile, U.J. and Chabo, R.G. (Eds), *Optimal Feeding of Grazing Animals in Botswana. Proceeding of the Livestock Feeding Systems Workshop held at the Center for Continuing Education*, Botswana College of Agriculture, Gaborone, 28-31 May.
- Atinkut, B. and Mebrat, A. (2016), "Determinants of farmers choice of adaptation to climate variability in Dera woreda, South Gondar zone, Ethiopia", *Environmental Systems Research*, Vol. 5 No. 1, doi: 10.1186/s40068-015-0046-x.

- Chipanshi, A.C., Chanda, R. and Totolo, O. (2004), "Vulnerability assessment of the maize and sorghum crops to climate change in Botswana", *Climatic Change*, Vol. 61, pp. 339-360.
- Dougill, A.J., Fraser, E.D.G. and Reed, M.S. (2010), "Anticipating vulnerability to climate change in dryland pastoral systems: using dynamic systems models for the Kalahari", *Ecology and Society*, Vol. 15 No. 2, p. 17, available at: www.ecologyandsociety.org/vol15/iss2/art17/
- FAO (2012), *FAO Statistical Yearbook 2012: Africa Food and Agriculture*, FAO, Rome.
- FAO (2016), "Diversification strategies and adaptation deficit: evidence from rural communities in Niger", in Asfaw, S., Palma, A. and Lipp er, L. (Eds), *ESA Working Paper No. 16-02*, FAO, Rome.
- Fernández-Llamazares, Á., Díaz-Reviriego, I., Guèze, M., Cabeza, M., Pyhälä, A. and Reyes-García, V. (2016), "Local perceptions as a guide for the sustainable management of natural resources: empirical evidence from a small-scale society in Bolivian Amazonia", *Ecology and Society*, Vol. 21 No. 1, p. 2, available at: <http://dx.doi.org/10.5751/ES-08092-210102>
- Fernández-Llamazares, Á., Méndez-López, E., Díaz-Reviriego, I., McBride, M., Pyhälä, A., Rosell-Melé, A. and Reyes-García, V. (2015), "Links between media communication and local perceptions of climate change in an indigenous society", *Climate Change*, Vol. 131 No. 2, pp. 307-320.
- Gbetibouo, G.A. (2009), "Understanding Farmers' Perceptions and Adaptations to Climate Change and Variability: the Case of the Limpopo Basin, South Africa", IFPRI Discussion Paper No. 00849.
- Gujarati, D.N. (2003), *Basic Econometrics*, McGraw Hill.
- Halsnaes, K. and Traerup, S. (2009), "Development and climate change: a mainstreaming approach for assessing economic, social, and environmental impacts of adaptation measures", *Environmental Management*, Vol. 43 No. 5, pp. 765-778, doi: [10.1007/s00267-009-9273-0](https://doi.org/10.1007/s00267-009-9273-0).
- Harvey, C.A., Rakotobe, Z.L., Rao, N.S., Dave, R., Razafimahatratra, H., Rabarijohn, R.H., Rajaofara, H. and MacKinnon, J.L. (2014), "Extreme vulnerability of smallholder farmers to agricultural risks and climate change in Madagascar", *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, Vol. 369 No. 1639, p. 20130089, doi: [10.1098/rstb.2013.0089](https://doi.org/10.1098/rstb.2013.0089).
- Hassan, R. and Nhemachena, C. (2008), "Determinants of African farmers' strategies for adapting to climate change: multinomial choice analysis", *African Journal of Agricultural and Resource Economics*, Vol. 2 No. 1, pp. 83-104.
- Hox, J.J. and De Leeuw, E.D. (1994), *Quality and Quantity*, Vol. 28 No. 4, pp. 329-344, available at: <https://doi.org/10.1007/BF01097014>
- Huntington, H.P., Callaghan, T., Fox, S. and Krupnik, I. (2004), "Matching traditional and scientific observations to detect environmental change: a discussion on Arctic terrestrial ecosystems", *AMBIO*, Vol. 13, pp. 18-23.
- Kabubo-Mariara, J. (2008), "Climate change adaptation and livestock activity choices in Kenya: an economic analysis", *Natural Resources Forum*, Vol. 32 No. 2, pp. 131-141.
- Kandlinkar, M. and Risbey, J. (2000), "Agricultural impacts of climate change: if adaptation is the answer, what is the question?", *Climatic Change*, Vol. 45, pp. 529-539.
- Kgosikoma, O.E. and Batisane, N. (2014), "Livestock population dynamics and pastoral communities' adaptation to rainfall variability in communal lands of Kgalegadi South, Botswana", *Pastoralism: Research, Policy and Practice*, Vol. 4 No. 1, p. 19, doi: [10.1186/s13570-014-0019-0](https://doi.org/10.1186/s13570-014-0019-0).
- Kgosikoma, O.E., Harvie, B.A. and Mojeremane, W. (2012), "Bush encroachment in relation to rangeland management systems and environmental conditions in Kalahari ecosystem of Botswana", *African Journal of Agricultural Research*, Vol. 17, pp. 2312-2319.
- Kolawole, O.D., Motsholapheko, M.R., Ngwenya, B.N. and Thakadu, O. (2016), "Climate variability and rural livelihoods: how households perceive and adapt to climatic shocks in the Okavango Delta, Botswana", *Weather, Climate, and Society*, Vol. 8, pp. 131-145.
- Long, J.S. (1997), *Regression Models for Categorical and Limited Dependent Variables*, Sage Publications, Thousand Oaks, CA.

- Maddison, D. (2006), "The perception of and adaptation to climate change in Africa", CEEPA Discussion Paper No. 10. Centre for Environmental Economics and Policy in Africa, University of Pretoria.
- Makhado, R.A., Saidi, A.T. and Tshikhudo, P.P. (2014), "Optimising drought adaptation by smallscale farmers in Southern Africa through integration of indigenous and technologically-driven practices", *African Journal of Science, Technology, Innovation and Development*, Vol. 6 No. 4, pp. 265-273.
- Marin, A. (2010), "Riders under storms: contributions of nomadic herders' observations to analysing climate change in Mongolia", *Global Environmental Change*, Vol. 20 No. 1, pp. 162-176.
- Mogotsi, K., Nyangito, M.M. and Nyariki, D.M. (2011), "The perfect drought? Constraints limiting Kalahari agro-pastoral communities from coping and adapting", *African Journal of Environmental Science and Technology*, Vol. 5 No. 3, pp. 168-177.
- Muntifering, R.B., Chappelka, A.H., Lin, J.C., Karnosky, D.F. and Somers, G.L. (2006), "Chemical composition and digestibility of trifolium exposed to elevated ozone and carbon dioxide in a free air (FACE) fumigation system", *Functional Ecology*, Vol. 20 No. 2, pp. 269-275.
- Nelson, G.C. (Ed.) (2009), "Agriculture and climate change: an agenda for negotiation in Copenhagen", 2020 Focus No. 16. May 2009, available at: www.ifpri.org/2020/focus/focus16.asp (accessed 5 September 2014).
- Nhemachena, C. and Hassan, R. (2007), "Micro-level analysis of farmers' adaptation to climate change in Southern Africa", IFPRI Discussion Paper 00714, International Food Policy Research Institute, Washington, DC.
- Niang, I., Ruppel, O.C., Abdrabo, M.A., Essel, A., Lennard, C., Padgham, J. and Urquhart, P. (2014), *Africa*, In Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part B: Regional Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Barros, V.R., C.B. Field, D.J. Dokken, M.D. Mastrandrea, K.J. Mach, T.E. Bilir, M. Chatterjee, K.L. Ebi, Y.O. Estrada, R.C. Genova, B. Girma, E.S. Kissel, A.N. Levy, S. MacCracken, P.R. Mastrandrea, and L.L. White (Eds)], Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, pp. 1199-1265.
- Oerke, E.C. (2006), "Crop losses to pests", *The Journal of Agricultural Science*, Vol. 144 No. 1, pp. 31-43.
- Opiyo, F., Wasonga, O., Nyangito, M., Schilling, J. and Munang, R. (2015), "Drought adaptation and coping strategies among the turkana pastoralists of Northern Kenya", *International Journal of Disaster Risk Science*, Vol. 6 No. 3, pp. 295-309, doi: [10.1007/s13753-015-0063-4](https://doi.org/10.1007/s13753-015-0063-4).
- Oppenheimer, M., Campos, M., Warren, R., Birkmann, J., Luber, G., O'Neill, B. and Takahashi, K., (2014), "Emergent risks and key vulnerabilities", in Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Field, C.B., V.R. Barros, D.J. Dokken, K.J. Mach, M.D. Mastrandrea, T.E. Bilir, M. Chatterjee, K.L. Ebi, Y.O. Estrada, R.C. Genova, B. Girma, E.S. Kissel, A.N. Levy, S. MacCracken, P.R. Mastrandrea, and L.L. White (eds)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, pp. 1039-1099.
- Orlove, B., Chiang, J. and Cane, M. (2000), "Forecasting Andean rain-fall and crop yield from the influence of El Niño onPleiades visibility", *Nature*, Vol. 403, pp. 68-71.
- Peduzzi, P., Concato, J., Kemper, E., Holford, T.R. and Feinstein, A.R. (1996), "A simulation study of the number of events per variable in logistic regression analysis", *Journal of Clinical Epidemiology*, Vol. 49 No. 12, pp. 1373-1379.
- Phuong, L. (2011), "Climate change and farmers' adaptation: a case study of mixed-farming systems in the coastal area in Trieu Van commune, Trieu Phong district, Quang Tri province, Vietnam", Masters thesis, Swedish University of Agricultural Sciences.
- Reyes-García, V., Fernández-Llamazares, A., Guèze, M., Garcés, A., Mallo, M., Vila-Gómez, M. and Vilaseca, M. (2015), "Local indicators of climate change: the potential contribution of local knowledge to climate research", *Wiley Interdisciplinary Reviews: Climate Change*, Vol. 7 No. 1, pp. 109-124, doi: [10.1002/wcc.374](https://doi.org/10.1002/wcc.374).

- Rosenzweig, C. and Neofotis, P. (2013), "Detection and attribution of anthropogenic climate change impacts", *Wiley Interdisciplinary Reviews: Climate Change*, Vol. 4 No. 2, pp. 121-150, doi: [10.1002/wcc.209](https://doi.org/10.1002/wcc.209).
- Sampei, Y. and Aoyagi-Utsui, M. (2009), "Mass-media coverage, its influence on public awareness of climate change issues, and implications for Japan's national campaign to reduce greenhouse gas emissions", *Global Environmental Change*, Vol. 19 No. 2, pp. 203-212, doi: [10.1016/j.gloenvcha.2008.10.005](https://doi.org/10.1016/j.gloenvcha.2008.10.005).
- Smit, B. and Skinner, M. (2002), "Adaptation options in agriculture to climate change: a typology", *Mitigation and Adaptation Strategies for Global Change*, Vol. 7, pp. 85-114.
- Stigter, C.J., Zheng, D.W., Onyewotu, L.O.Z. and Mei, X.R. (2005), "Using traditional methods and indigenous technologies for coping with climate variability", *Climate Change*, Vol. 70 Nos 1/2, pp. 255-271.
- White, P.C.L., Jennings, N.V., Renwick, A.R. and Baker, N.H.L. (2005), "Questionnaires in ecology: a review of past use and recommendations for best practice", *Journal of Applied Ecology*, Vol. 42, pp. 421-430.
- Wiid, N. and Ziervogel, G. (2012), "Adapting to climate change in South Africa: commercial farmers' perception of and response to changing climate", *South African Geographical Journal*, Vol. 94 No. 2, pp. 152-173.

Further reading

- Dixon, J., Tanyeri-Abur, Y. and Wattenbach, H. (2004), "Smallholders, globalization and policy analysis", Agricultural Management, Marketing and Finance service occasional paper 5, *Agricultural Support Systems Division*, FAO, Rome.
- Fosu-Mensah, B.Y., Vlek, P.L.G. and Manschadi, A.M. (2010), *Farmers' Perception and Adaptation to Climate Change; a Case Study of Sekyedumase District in Ghana*, Center for Development Research (ZEF), University of Bonn, Bonn.
- Fussler, H.M. (2007), "Adaptation planning for climate change: concepts, assessment approaches, and key lessons", *Sustainability Science*, Vol. 2 No. 2, pp. 265-275, doi: [10.1007/s11625-007-0032-y](https://doi.org/10.1007/s11625-007-0032-y).
- Hausman, J. and McFadden, D. (1984), "Specification tests for the multinomial logit model", *Econometrica*, Vol. 52 No. 5, pp. 1219-1240.
- IPCC (2013), "Summary for policymakers. in: climate change 2013: the physical science basis", Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds)], Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Sultan, B. (2012), *Environmental Resource Letter 7: PERSPECTIVE: Global Warming Threatens Agricultural Productivity in Africa and South Asia*, IOP Publishing Ltd Printed in the UK, Universit'e Pierre et Marie Curie, Paris, France IRD – LOCEAN/IPSL.
- Tizale, C.Y. (2007), "The dynamics of soil degradation and incentives for optimal management in the central highlands of Ethiopia", PhD thesis, Department of Agricultural Economics, Extension and Rural Development, Faculty of Natural and Agricultural Sciences, University of Pretoria.
- World Bank (2010), *Botswana Climate Variability and Change: Understanding the Risks*, Draft Policy Note.

Corresponding author

Keneilwe Ruth Kgosikoma can be contacted at: kkgosikoma@gmail.com

For instructions on how to order reprints of this article, please visit our website:

www.emeraldgroupublishing.com/licensing/reprints.htm

Or contact us for further details: permissions@emeraldinsight.com